

SUPER STARTER SPEEDWAY

BEFORE YOU BEGIN ...


1. Unpack the parts. Save the packing materials.
2. Match the parts to the drawings below.
3. If you have each part, put a check in the box next to the picture of the part. Look in the carton again and check all of the packing materials to make sure you haven't missed anything.



WARNING:

**CHOKING HAZARD - Small parts
Not for children under 3 years.**

CHECK LIST



DARDA™ RACER (1)



180° CURVE TRACK (1)



14" STRAIGHT TRACK (2)



LOOP HALVES (4)



90° CROSSING (2)



TRACK JOINERS (9)




LOOP JOINERS (4)



IF A PART IS MISSING OR DAMAGED ...


The store where you purchased this item does not have parts. You will get the easiest service from **Walthers**. Tell us the part(s) needed and be sure to include your name and address printed clearly. Mail to Wm. K. Walthers, Inc./ 5601 W. Florist Ave./Milwaukee, WI 53218/ Attn.: DARDA.

READ ALL INSTRUCTIONS BEFORE YOU BUILD YOUR TRACK LAYOUT!!!



USING TRACK JOINERS

Slide the Track Joiner - with the raised edges facing down - half way into the channel on the underside of the track piece. Now slide the adjoining track piece over the open half of the joiner, so that it meets the first piece. Be sure the tracks meet with no gaps.



MAKING LOOPS

Put two **LOOP HALVES** together so that the **PINS** at the top of each loop half go into the proper holes, creating a tight fitting seam between the two loop halves.

Holding the **LOOP HALVES** together, slide one **LOOP JOINER** over one end of the seam and the other loop joiner over the other end of the seam. Squeeze together to secure the joiners to the loop. **NOTE: Make the 2 loops in this set before building the track.**




FIGURE 1



STEP 1 • BUILD THE TRACK

Attach one of the assembled loops to the **90° CROSSING** with **TRACK JOINERS** as shown in **FIGURE 1**.

FIGURE 2



STEP 2 • CONNECT 90° TRACKS

Using a **TRACK JOINER**, connect the **90° CROSSINGS** to each other as shown in **FIGURE 2**.

STEP 3 • STRAIGHT-A-WAYS

Use the enclosed **14" TRACK** sections and the **180° CURVE TRACK** to complete the layout. Connect the straight track sections to each 90° crossing. Place the 180° Curve track at the end of the straight tracks, finishing the layout.

FIGURE 3





FIGURE 4




STEP 4 • SPEEDWAY TO FUN!


FIGURE 4 shows the **COMPLETED TRACK LAYOUT**. Place the car included in your set or any Darda™ Car where indicated in photo. For tips and alternate layouts see page 4.

READY, SET GO!!!


1. Press down on vehicle body until you hear a click.



2. While still pressing down, roll vehicle back & forth until the clicking sound gets louder.



3. Lift your hand up off the vehicle while rolling forward. Watch it go!



Tips


- For consistent performance position your Darda™ Racers on the track layout as shown on page 3.
- Be sure that the vehicle is fully wound by listening for the click to get louder before releasing it.
- Have fun with your Darda™ vehicles on or off the Darda track. For longer life **DO NOT** run on carpet.
- Replacement motors are available at your local specialty toy store; or contact Darda at the number below.

ALTERNATE LAYOUTS.

Darda™ track sets are very versatile, and you can build many track layouts from the parts. Here are 3 other raceways you can make with the parts in your **SUPER STARTER SPEEDWAY** set. After that...

USE YOUR IMAGINATION!

Accessories such as **LOOP TOWER** #921-11982 & **VALUE PACK** #921-11839 can be added to expand your set!



TRACK TIPS

- Read all assembly instructions carefully.
- If your vehicle has trouble making it around the track, try the following: 1) Be sure that all track seams meet and connections are secure. Track pieces must meet flush against each other where they are connected with track and loop joiners, without gaps or bumps at the joint. 2) It may be necessary to play with, adjust, or slightly bend loops in track layouts to maximize performance. Remember Darda™ track is flexible.
- Darda™ track layouts can be set up on any flat surface. While it is not ideal, your track can be set up on carpet. We do recommend dusting off the track before use so that the dust particles from the carpet do not jam the motor. We do not recommend running the vehicle itself on carpet.
- Double check your assembly instructions, if you still have difficulty we want to help!

Call our toll free consumer hotline... 1-866-833-1468. (Mon.-Fri., 9:00am-3:30pm (Central Standard Time))